

List of Seals



412-D-66363 RUBBER SECTION FOR
REAR Q/LIGHT 42" 20ft per car.
FRONT TAILSA TOP 4'6" PER CAR



412-D-66364 RUBBER SECTION
412 BOOT SEALING
13 ft bins per Boot

WHEN STOCK EXHAUSTED USE GOM. 135 or " ALBERT JASSER 4974/1001



412-D-66114 RUBBER SECTION - SEALING STRIP - REAR
FOR SOFT & HARD TOP - BOTTOM.



412-D-66271

10ft PER CAR
RUBBER RUBBING STRIP.



3/16" ROUND RUBBER SECTION FOR TYPE 603
RIMS - REVERSE & REAR GUARD LAMPS.

11" PER LAMP.

(128 ft sent to CHISWICK) MAY 82

412-D-66358



RUBBER SECTION.

TARGA TOP-APERTURE

2 FT EACH SIDE. 2 PER CAR

412 MIC 2

~~ORIGINAL~~ OPEN RUBBER 412-MIC 1
OR
BOOT RUBBER

412-D-66357



SILENT FLOCK CHANNEL

FRONT Q/L VERTICAL CHANNEL - REAR.

3 ft PER EACH SIDE. 2 PER CAR.

412-D-66097



DOOR FRAME SILENT FLOCK CHANNEL


3'6" BACK END OF FRAME

1'10" TOP OF FRAME

2 OFF EACH PER CAR

9 ft. per Door.

412-D-66079



EDGE PROTECTOR - TARGA APERTURE


7 FT 3 INS PER CAR - BACK & SIDES.

ALSO 19' FT - 412 BONNET APERTURE

603 BONNET APERTURE 3'6" 1'3" = TOTAL 10'6"



412-D-66359




RUBBER SECTION - FRONT Q/L VERTICAL

BAR 20" LONG 2 OFF PER CAR.

TYPE 412.



'412' REAR QUARTER LIGHT.
 42" LONG. 20FF PER CAR.
 412-D-66092 USE. 412-D-66363




412-D66113
 EXZASATO RUBBER SECTION - ^{SEAL} REAR HARD TOP
 ALL 412 CARS 7' 6" LONG





(7FT PER SIDE)
 '603' Q/L SEAL B.660125 } MAY REF. 60.50 ft.
 '603' DOOR SEAL B.660126 } TPN
 (12ft-6" PER DOOR) ~~84633~~ 5846 H87F-4
 (CAN BE USED IN PLACE OF FUELLER ON 411 DOOR APRT; 9' PER CAR)



'412 MILI ONLY'
 USED ON FRONT DETACHABLE TOP
 54" PER CAR. MAY. REF. SSN 84204 N.



ALTERNATIVE 412-D-66364
 GOM. 135. '603' BOOT SECTION  } 13 ft. ALBERT JAGGER
 412 BOOT SECTION  } 13'6" MAY. REF. 4974/001
 GOM. 135. →



L.3477
 1/2" BOLT WASHING MACHINE HOSE




412-D-66346 REAR SEAL - TARGA APERTURE 7' 6" PER CAR.
 (EX. ZASATO) FRONT SEAL - TARGA APERTURE 4' 6" PER CAR
 MIL. 2. (WAS ALSO REAR SEAL FOR HARD TOP ON 411 CARS)



B 650148/1,
 TYPE 603' DOOR FENCE PLATE
 RUBBER SECTION WITH NYLON RUBBING STRIP



412-D-66098 TYPE 412 DOOR FENCE PLATE
 RUBBER SECTION. EX ZASATO.



L.3511

2" I/D 3 PL PETROL RESIST HOSE
USED ON 400 TO 406 (PETROL FILLER)

L.3513



TYPE 411 BOOT RUBBER

COMPRISING: S.4771 RUBBER 3 OFF 5'
1/2 x 1/2 x 29" LONG 2 OFF.





412-1-75000 ~~GO~~ ^{1.135} BOOT RUBBER SECTION.

8 1/2" LONG.

? 1/2" x 1/2" x 29"

~~USE~~

411 - ~~WVA~~ - ~~WVA~~



~~B.660125~~ S.846 H87F-4

TPH. ~~24633H~~


B.660125 DOOR SEAL RUBBER L.H. & R.H.
(12 1/2 FT PER DOOR)

*

TYPE 603.

B.660126 ~~DOOR~~ LIGHT RUBBER L.H. & R.H.
(7 FT PER SIDE)

SEE NEXT PAGE




412-D-66323/2

'412' DOOR APERTURE - BOTTOM.

3 ft 9" long. 2 PER CAR.

*



412-D-66323 / R.H. & L.H. + Bottom

412 DOOR APERTURE TOP x L.H. & R.H.
SIDES. 11 ft 9" long 2 PER CAR.

*

? USE TPH. ~~24633H~~ S.846 H87F-4

All Round 412 Door Apertures

14 FT

U BLACK:- DOOR DRAUGHT EXCLUDER "SMN 314/25"
TYPE 410. 8'6" LONG. - DOOR LOWER PILLARS

9 BLACK:- DOOR DRAUGHT EXCLUDER HM10/270/01
TYPE 410 7' LONG - BOTTOM OF DOORS

0 GREY FURFLEX 3A.2247
TYPE 410 13 1/4 FT. LONG. - DOOR APERTURE UPPER

INNER

I AM2. WEATHER STRIP 401/403 39" LENGTH 2 PER CAR.
404 35" LENGTH 2 PER CAR
(USE 28" LENGTH.) '405' REAR QUARTER LIGHT 14" LENGTH 2 PER CAR
* (USE 35" LENGTH) '405' REAR DOOR 17" LENGTH 2 PER CAR
405 FRONT DOOR 14 1/2" LENGTH 2 PER CAR
406 DOORS 36" LENGTH 2 PER CAR

OUTER

I Y.550 FLEXIBLE STRIP. 401/403 39" LENGTH 2 PER CAR.
(USE 39") 404 ~~USE~~ 32" LENGTH 2 PER CAR

(USE 30" LENGTH.) '405' REAR QUARTER LIGHT 14" LENGTH. 2 PER CAR
(USE 2 off 30" LENGTHS) '405' REAR DOOR 17" LENGTH. 2 PER CAR

(USE 30" LENGTH.) '405' FRONT DOOR 14 1/2" LENGTH 2 PER CAR
406 DOORS 36" LENGTH 2 OFF PER CAR


412-1-75005 BOOT RUBBER TYPE 411 8'3"



L.3381.
SR32

SORBO RUBBER

TYPE 406. CORNER OF HINGE VALANCE
-TOP 6" PER CAR.



L.3451
(411-1-66213)

$\frac{3}{4}" \times \frac{5}{8}"$ SORBO RUBBER
TYPE 407/408 DOOR SHUT 409/410
27" ~~26~~" LONGS 2 OFF PER CAR



IRS.145

'T' RUBBER SECTION
401/403 BUMPER TO BODY
REPLACES M.712001/S.



405-1-67030

2 @ 5'6" LONGS

~~SORBO RUBBER~~

~~TYPE 405 BOOT DOOR 9 FEET~~

~~TYPE 405/D. BOOT DOOR 12 FEET.~~


5203 401/403 Boot Rub



L.3474

$\frac{1}{4}"$ BORE PETROL RESISTING HOSE

L.3476



MADE UP SECTION FOR TYPE 410

BOOT DOOR SEAL RUBBER

MADE FROM 3 LENGTHS OF S.4771 SUPPELSEAL 56" LONGS.

(USE HOM 135)

BOOT RUBBER SECTION (EARLY 410 CARS)
HOM. 488 RUBBER SECT. 7'6" LONG

65/2.
L.3098.

PLASTIC BEADINGS
TYPE 405 - OVERRIDERS
4 1/2" LONGS 8 OFF PER CAR.



L.3348

SORBO SECTION.

TYPE 405/D - DOOR SHUT PILLARS 6 FEET LONGS

TYPE-405/D - BOTTOM OF DOORS 6 1/2 FEET LONGS



L.3358

DOOR FRAME RUBBER

R.305/E (12868) TYPE 406, 407, 408, 409, 410

5 1/2 FT PER FRAME 10 FT PER CAR

3'6" L.3376

4'4" FEET LENGTHS / 25" WIDTHS / 42" LENGTHS



L.3376/A

(411-1-66212) 28" LONGS

1/2" x 1/2" SKINNED SORBO RUBBER

TYPE 406/7 BOOT DOOR 36" LONGS

TYPE 408/9/410 BOOT DOOR 32" LONGS

TYPE 406/7 DOORS - BOTTOM 44" LONGS

TYPE 407 DOORS

25" LONGS 2 OFF.

TYPE 408/409/410 BONNET-REAR 1 @ 40" AND 1 @ 18" LONGS



L.3377

'D' SECTION RUBBER

TYPE 406 MAXIMUM MAXIMUM

BONNET 34" LONGS

TYPE 406 DOOR APERTURE 12".



L.3380

1" x 1/2" SPONGE RUBBER

TYPE 406/7/8/9 TYPE 410 HINGE VALANCE DOOR

48" 4 FEET LONGS 2 OFF.

4 FT.



(SRS 56) SECTION FOR REPLACEMENT 12/10/73
 H. L. 3099 DRAUGHT EXCLUDED ~~4 1/2~~ LENGTHS IN STOCK.
 TYPE 405 - REAR DOOR - WHEEL ARCH CUTOUT 2'6" PER DOOR
 TYPE 405 - TOP OF REAR DOOR 13" PER CAR DOOR.



A. 5168

REAR WINDOW RUBBER

TYPE 405 - 26" LONG 2 PER CAR

USE WITH NO. CLAYTON-RITE A. 5013



A. 5013

REAR WINDOW RUBBER

TYPE 405 26" LONG 2 PER CAR

USE WITH CLAYTON-RITE A. 5168



E. 5620/R. 117 WINDSCREEN RUBBER

TYPE 400. 10 FEET PER CAR.



R. 206

OUTER GLAZING RUBBER

TYPE 405 11' 6" PER CAR
 WINDSCREEN



R. 201

OUTER GLAZING RUBBER

TYPE 404 WINDSCREEN 11 FEET

TYPE 404 REAR LIGHT 10 FEET

TYPE 405 REAR LIGHT 11 FT 6 INS.



D. 2872.

TYPE 402 WINDSCREEN PILLAR 2 FEET

TYPE 402 CANT RAIL 6 FEET.



Sfr Only

N.712001/13.

DRAUGHT EXCLUDER

4 off @ 5'6" LONG TYPE 401/403 DOOR APERTURE & QUARTER LIGHT
 4 off @ 5'6" LONG TYPE 404 DOOR APERTURE & QUARTER LIGHT
 4 off @ 5'6" LONG TYPE 405 DOOR APERTURES
 1 off 5'6" TYPE 405/D. SCREEN PILLAR



N.705301/1

SPARE WHEEL TRAY

TYPE 401/403 42" PER CAR.



N.705703

BOOT RUBBER

TYPE 401-403 9 FEET

6 FT LENGTHS 2/2/72



L.3083

VENTILATOR WINDOW RUBBER

R.140 (E6410)

TYPE 405 13" PER WINDOW 2 OFF PER CAR

TYPE 406 } QUARTER LIGHT 10 FT PER CAR
 TYPE 407/411



L.3084 (USE L.3083) VENTILATOR WINDOW RUBBER

TYPE 405. VENT WINDOW 28". 2 OFF PER CAR

REAR QUARTER LIGHT 45" PER CAR.



* USE L.3099

N.705806

DRAUGHT EXCLUDER

* TYPE 403 6 FT 2 PER CAR (DOORS)

* TYPE 405 1 1/2 FT TOP DOOR & FRONT WIND

* TYPE 406 6 FT DOOR APERTURE (3' PER DOOR)

TYPE 407 7'6" BOOT DOOR

WHEN EXHAUSTED

USE 3/4 x 1/2 REAR OF DOORS

AND 1/2 x 1/2 FRONT DOOR

410 RUBBER FOR BOOT

L.3476

USE L.3476

RUBBER SECTIONS.

9

N.712001/2

DRAUGHT EXCLUDER-DOOR PILLAR
(COVERED WITH FURFLEY = L.3247)
TYPE 401-403 (8 FT PER CAR)

10

N.712001/3

WINDSCREEN SEALING RUBBER. 10 FT.
TYPE 401 UP TO CHASSIS No. 285
FOR USE WITH ALUMINIUM FRAMES

P

N.712001/1

REAR BUMPER QUARTER PANELS
TYPE 401/403 6 FT. 9 IN.

11

N.705609/5

WINDSCREEN RUBBER SECTION
TYPE 401/286 ON AND 403
FOR USE WITH BRASS FRAMES 10 FEET

12

N.712001/6

UNDER BONNET SEAL.
TYPE 401/403 8 8 FEET. PER CAR
TYPE 404/405 4. FEET PER CAR

13

N.712001/9

WINDSCREEN CENTRE SECTION
FOR USE ON 401 ALUMINIUM
FRAMES. 1 1/2. FEET

14

N.712001/12

RUBBER SECTION.
TYPE 405 17'3"

L.3083

L.3084

L.3099

L.3277


L.3288

L.3306

L.3262

L.3262A

RUBBER SECTIONS.

- L.3083. VENTIPANE RUBBER.
L.3084 " " " QUARTER LIGHT
L.3099 RUBBER SECT. - FOR WHEEL ARCH CUT OUT - DOOR. SRS10
L.3277 1/8" BORE RUBBER TUBE - TRICO WASHER
L.3288 RUBBER SECT. - REAR OPENING WINDOW TYPE 400
USE E.5620/R117. 6ft 6in.
E.5620/R117 WINDSCREEN RUBBER 10FT. 400.
L.3306. 3/8" BORE HOSE - TRICO WASHER. 4FT. 405
L.3262 SM1.00410. RUBBER BUSH  405 EARLY TYPE
L.3262A. AT7/403 RUBBER BUSH.  406.
AT9/689 RUBBER BUSH - SELECTOR IDE
AT11/401 RUBBER BUSH (N12128) 403/LARGE
AT7/5439 RUBBER BUSH (N12123) 401/405 SMALL

(

April 13 1976

Sheet (24)

L3660.		Tap 0/44 BS. Top Rivet For Mounting Cap 407-
3664.	TRAFALGAR	FLUXIDAM LIGHT.
3665	CHAMPION.	HTCX Ring SUPPRESSOR.
L 3667	SMITH	IN LINE Fuse HOLDER.
L 3668	SMITH.	60155 IN LINE CHOKE LEAD.
L 3669	SMITH	2 AMP RADIO Fuse.
L 3670	SMITH.	2269/48 SPEAKER LEAD
L3671		Esc 30 2 SPEAKER BALANCE CONTROL

None of these are yet in the price list can we please have them entered